

according to Regulation (EC) No 1907/2006

# STATMATIC-Spray Europe 500ml

Revision date: 07.10.2025 Product code: 11AA5420934A0500EU Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

STATMATIC-Spray Europe 500ml

UFI: DN53-Q0U6-4002-VCEX

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Dental oil spray

#### 1.3. Details of the supplier of the safety data sheet

Company name: SciCan GmbH
Street: Wangener Strasse 78
Place: D-88299 Leutkirch im Allgäu
Telephone: + 49 7561 98 343 0

E-mail: info.eu@scican.com

1.4. Emergency telephone 1774 / +356 2559 4600

number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Aerosol 1; H222-H229 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

## Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.
H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P273 Avoid release to the environment.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

# 2.3. Other hazards

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII:

O.O.O-triphenyl phosphorothioate.

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

## **SECTION 3: Composition/information on ingredients**



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## STATMATIC-Spray Europe 500ml

Revision date: 07.10.2025 Product code: 11AA5420934A0500EU Page 2 of 11

## 3.2. Mixtures

### Relevant ingredients

| CAS No    | Chemical name                 | Quantity          |                  |             |
|-----------|-------------------------------|-------------------|------------------|-------------|
|           | EC No                         | Index No          | REACH No         |             |
|           | Classification (Regulation (E | EC) No 1272/2008) | ·                |             |
| 75-28-5   | isobutane                     | 25 - < 50 %       |                  |             |
|           | 200-857-2                     | 601-004-00-0      | 01-2119485395-27 |             |
|           | Flam. Gas 1, Liquefied gas;   | H220 H280         |                  |             |
| 106-97-8  | butane                        |                   |                  | 25 - < 50 % |
|           | 203-448-7                     | 601-004-00-0      | 01-2119474691-32 |             |
|           | Flam. Gas 1, Liquefied gas;   | H220 H280         |                  |             |
| 8042-47-5 | White mineral oil (petroleum  | 5 - < 10 %        |                  |             |
|           | 232-455-8                     |                   | 01-2119487078-27 |             |
|           | Asp. Tox. 1; H304             |                   |                  |             |
| 74-98-6   | propane                       |                   |                  | 5 - < 10 %  |
|           | 200-827-9                     | 601-003-00-5      | 01-2119486944-21 |             |
|           | Flam. Gas 1, Liquefied gas;   | H220 H280         |                  |             |
| 597-82-0  | O,O,O-triphenyl phosphorot    | < 0.1 %           |                  |             |
|           | 209-909-9                     |                   | 01-2119979545-21 |             |
|           | Aquatic Chronic 1; H410       |                   |                  |             |

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No   | EC No Chemical name                      |         |  |
|-----------|---|--|---------|--|
|           | Specific Conc. I  | Specific Conc. Limits, M-factors and ATE |         |  |
| 8042-47-5 | 232-455-8   | 232-455-8 White mineral oil (petroleum)  |         |  |
|           | inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg |  |         |  |
| 597-82-0  | 209-909-9   | O,O,O-triphenyl phosphorothioate         | < 0.1 % |  |
|           | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 10000 mg/kg Aquatic Chronic 1; H410: M=10               |  |         |  |

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

### After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

### After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

# After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## STATMATIC-Spray Europe 500ml

Revision date: 07.10.2025 Product code: 11AA5420934A0500EU Page 3 of 11

### 4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water mist. Foam. Carbon dioxide (CO2). Extinguishing powder.

## Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear personal protection equipment.

### For non-emergency personnel

First aider: Pay attention to self-protection!

### For emergency responders

Fight fire with normal precautions from a reasonable distance.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

# 6.3. Methods and material for containment and cleaning up

### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**



according to Regulation (EC) No 1907/2006

# STATMATIC-Spray Europe 500ml

Revision date: 07.10.2025 Product code: 11AA5420934A0500EU Page 4 of 11

### 7.1. Precautions for safe handling

### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

## Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

### Further information on handling

Avoid contact with skin and eyes.

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

## Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

### Further information on storage conditions

Protect from frost. Protect from direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

## 7.3. Specific end use(s)

Dental oil spray

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **DNEL/DMEL values**

| CAS No  | Name of agent                    |                 |          |                        |
|---|----------------------------------|-----------------|----------|------------------------|
| DNEL type                                     |                                  | Exposure route  | Effect   | Value                  |
| 8042-47-5                                     | White mineral oil (petroleum)    |                 |          |                        |
| Worker DNEL,                                  | long-term                        | inhalation      | systemic | 164,56 mg/m³           |
| Worker DNEL,                                  | long-term                        | dermal          | systemic | 217,05 mg/kg<br>bw/day |
| Consumer DNE                                  | EL, long-term                    | inhalation      | systemic | 34,78 mg/m³            |
| Consumer DNEL, long-term                      |                                  | dermal          | systemic | 93,02 mg/kg<br>bw/day  |
| Consumer DNEL, long-term oral systemic 25 mg/ |                                  | 25 mg/kg bw/day |          |                        |
| 597-82-0                                      | O,O,O-triphenyl phosphorothioate |                 |          |                        |
| Worker DNEL, long-term                        |                                  | inhalation      | systemic | 1,39 mg/m³             |
| Worker DNEL, long-term                        |                                  | dermal          | systemic | 0,4 mg/kg bw/day       |
| Consumer DNEL, long-term                      |                                  | inhalation      | systemic | 0,34 mg/m³             |
| Consumer DNEL, long-term                      |                                  | dermal          | systemic | 0,2 mg/kg bw/day       |
| Consumer DNEL, long-term                      |                                  | oral            | systemic | 0,2 mg/kg bw/day       |

## **PNEC values**

| CAS No   | Name of agent                    |            |  |
|--|----------------------------------|------------|--|
| Environmental compartment Value                  |                                  | Value      |  |
| 597-82-0   | O,O,O-triphenyl phosphorothioate |            |  |
| Micro-organisms in sewage treatment plants (STP) |                                  | 10 mg/l    |  |
| Soil 2,46 mg/kg                                  |                                  | 2,46 mg/kg |  |



according to Regulation (EC) No 1907/2006

# STATMATIC-Spray Europe 500ml

Revision date: 07.10.2025 Product code: 11AA5420934A0500EU Page 5 of 11

#### Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B) Urine (U)

### 8.2. Exposure controls

# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

EN 166

#### Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0,45 mm

**EN ISO 374** 

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

# **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: AX

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

## **Environmental exposure controls**

Observe legal regulations and provisions.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: light yellow
Odour: odourless

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

-40 °C

boiling range:

Flammability: not applicable not applicable

1 vol. %

Upper explosion limits:

Flash point:

Decomposition temperature:

11 vol. %

-80 °C

not determined

pH-Value (at 20 °C): not determined DIN 19268

Lower explosion limits:



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## STATMATIC-Spray Europe 500ml

Revision date: 07.10.2025 Product code: 11AA5420934A0500EU Page 6 of 11

Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 0,853 g/cm³ DIN 51757

Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

**Further Information** 

Data apply to technical substance: Relative density, Colour, Odour, Viscosity, pH.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Flammable, Ignition hazard.

# 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

# 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

## 10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

### 10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

## **Further information**

Do not mix with other chemicals.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

## **Acute toxicity**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# STATMATIC-Spray Europe 500ml

Revision date: 07.10.2025 Product code: 11AA5420934A0500EU Page 7 of 11

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No    | Chemical name                    |               |         |         |                     |                    |  |
|-----------|----------------------------------|---------------|---------|---------|---------------------|--------------------|--|
|           | Exposure route                   | Dose          |         | Species | Source              | Method             |  |
| 8042-47-5 | White mineral oil (petrole       | um)           |         |         |                     |                    |  |
|           | oral                             | LD50<br>mg/kg | > 5000  | Rat     | Study report (1987) | OECD Guideline 401 |  |
|           | dermal                           | LD50<br>mg/kg | > 2000  | Rabbit  | Study report (1987) | OECD Guideline 402 |  |
|           | inhalation (4 h)<br>dust/mist    | LC50          | >5 mg/l | Rat     |                     |                    |  |
| 597-82-0  | O,O,O-triphenyl phosphorothioate |               |         |         |                     |                    |  |
|           | oral                             | LD50<br>mg/kg | > 10000 | Rat     | Study report (1976) | OECD Guideline 401 |  |
|           | dermal                           | LD50<br>mg/kg | > 2000  | Rat     | Study report (1997) | OECD Guideline 402 |  |

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

# STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact.

Reference to other sections: 2.1, 4.2.

#### Specific effects in experiment on an animal

No information available.

### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# Other information

No information available.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# STATMATIC-Spray Europe 500ml

Revision date: 07.10.2025 Product code: 11AA5420934A0500EU Page 8 of 11

# **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the mixture itself.

| CAS No    | Chemical name                    |               |         |           |                             |  |   |
|-----------|----------------------------------|---------------|---------|-----------|-----------------------------|--|---|
|           | Aquatic toxicity                 | Dose          |         | [h]   [d] | Species                     | Source   | Method  |
| 106-97-8  | butane                           |               |         |           |                             |  |   |
|           | Acute fish toxicity              | LC50<br>mg/l  | 49,9    | 96 h      | Fish, no other information  | United States<br>Environmental<br>Protection A | The Ecosar class program has been develo      |
|           | Acute algae toxicity             | ErC50<br>mg/l | 19,37   | 96 h      | Algae                       | USEPA OPPT<br>Risk Assessment<br>Division (200 | Calculation using<br>ECOSAR<br>Program v1.00. |
|           | Acute crustacea toxicity         | EC50<br>mg/l  | 69,43   | 48 h      | Daphnia sp.                 | USEPA OPPT<br>Risk Assessment<br>Division (200 | Calculation using<br>ECOSAR<br>Program v1.00. |
| 8042-47-5 | White mineral oil (petrole       | um)           |         |           |                             |  |   |
|           | Acute fish toxicity              | LL50<br>mg/l  | > 10000 | 96 h      | Leuciscus idus<br>melanotus | Study report<br>(1992)                         | OECD Guideline<br>203                         |
|           | Acute algae toxicity             | ErC50<br>mg/l | > 100   | 72 h      | Desmodesmus<br>subspicatus  |  |   |
|           | Acute crustacea toxicity         | EL50<br>mg/l  | > 100   | 48 h      | Daphnia magna               | Study report (2008)                            | OECD Guideline<br>202                         |
| 597-82-0  | O,O,O-triphenyl phosphorothioate |               |         |           |                             |  |   |
|           | Acute fish toxicity              | LL50<br>mg/l  | > 100   | 96 h      | Danio rerio                 | REACh<br>Registration<br>Dossier               | OECD Guideline<br>203                         |
|           | Acute algae toxicity             | ErC50<br>mg/l | > 100   | 72 h      | Desmodesmus<br>subspicatus  | REACh<br>Registration<br>Dossier               | OECD Guideline<br>201                         |
|           | Acute crustacea toxicity         | EC50<br>mg/l  | > 100   | 48 h      | Daphnia magna               | REACh<br>Registration<br>Dossier               | OECD Guideline<br>202                         |
|           | Crustacea toxicity               | NOEC<br>mg/l  | > 5,5   | 22 d      | Daphnia magna               | REACh<br>Registration<br>Dossier               | OECD Guideline<br>211                         |

## 12.2. Persistence and degradability

The product has not been tested.

# 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

| CAS No    | Chemical name                    | Log Pow |
|-----------|----------------------------------|---------|
| 75-28-5   | isobutane                        | 2,8     |
| 106-97-8  | butane                           | 1,09    |
| 8042-47-5 | White mineral oil (petroleum)    | > 3,5   |
| 74-98-6   | propane                          | 2,36    |
| 597-82-0  | O,O,O-triphenyl phosphorothioate | 5       |

## BCF

| CAS No   | Chemical name                    | BCF  | Species | Source               |
|----------|----------------------------------|------|---------|----------------------|
| 597-82-0 | O,O,O-triphenyl phosphorothioate | 2239 | fish    | REACh Registration D |



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## STATMATIC-Spray Europe 500ml

Revision date: 07.10.2025 Product code: 11AA5420934A0500EU Page 9 of 11

### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII:

O,O,O-triphenyl phosphorothioate.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

### List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

## List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); metallic packaging

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5F

Special Provisions: 190 327 344 625



according to Regulation (EC) No 1907/2006

Revision date: 07.10.2025 STATMATIC-Spray Europe 500ml
Product code: 11AA5420934A0500EU Page 10 of 11

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:no

Special Provisions: 63, 190, 277, 327, 344, 381,959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950

**14.2. UN proper shipping name:** AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1

Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Flammable gases.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Directive 2010/75/EU on industrial

No information available.

emissions:

Directive 2004/42/EC on VOC in

No information available.

paints and varnishes:

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Aerosol Directive (75/324/EEC)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water



according to Regulation (EC) No 1907/2006

# STATMATIC-Spray Europe 500ml

Revision date: 07.10.2025 Product code: 11AA5420934A0500EU Page 11 of 11

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 6.

#### Abbreviations and acronyms

Flam. Gas: Flammable gases

Aerosol: Aerosol Liquefied gas

Asp. Tox: Aspiration hazard

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification          | Classification procedure |  |  |  |
|-------------------------|--------------------------|--|--|--|
| Aerosol 1; H222-H229    | On basis of test data    |  |  |  |
| Aquatic Chronic 3; H412 | Calculation method       |  |  |  |

## Relevant H and EUH statements (number and full text)

|      | —···· - ··· - · · · · · · · · · · · · ·               |
|------|---|
| H222 | Extremely flammable aerosol.                          |
| H229 | Pressurised container: May burst if heated.           |
| H280 | Contains gas under pressure; may explode if heated.   |
| H304 | May be fatal if swallowed and enters airways.         |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects.    |
|      |   |

Extremely flammable gas.

#### **Further Information**

H220

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)